



PUBLIC NOTICE

Alaska Department of Environmental Conservation (DEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

NOTICE OF PROPOSED ISSUANCE OF AN
ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES)
AUTHORIZATION UNDER A GENERAL PERMIT TO DISCHARGE TO
WATERS OF THE UNITED STATES

DEC Contact: Sally Wanstall
Alaska Department of Environmental Conservation
Wastewater Discharge Authorization Program
410 Willoughby Avenue, Suite 310
Juneau, AK 99811
(907) 465-5216
sally.wanstall@alaska.gov

Draft Authorization to Discharge Under a General Permit – Public Notice Period:
Notice Start Date: **June 14, 2016**
Notice Expiration Date: **July 14, 2016**

Permit No.: AKG572100

Proposed Project and Location:

The Alaska Island Adventure LLC owns and operates a floating lodge located in an unnamed cove south of Cholmondeley Sound on Prince of Wales Island, latitude 55° 11' 55" N and longitude 132° 7' 47" W. Secondary treated wastewater from Alaska Island Adventures Lodge wastewater treatment facility, is disinfected with ultraviolet light before being discharged. Design flow for the facility is 500 gallons per day (gpd) and the expected average flow is 280 gpd. Discharge of wastewater will occur seasonally June through September.

DEC is proposing to authorize a mixing zone for fecal coliform bacteria. The mixing zone size is defined as the area within a circle, 10 meters radius, centered on the end of the outfall pipe.

The General Permit, Fact Sheet, and proposed authorization are available upon request or can be accessed at the ADEC web site: <http://www.dec.state.ak.us/water/wwdp/index.htm>

AKG572100

Tentative Determination:

DEC has tentatively determined to issue an authorization to discharge under a general permit to the above listed applicant.

For inquiries or to request copies of documents, contact:

DEC Contact: Sally Wanstall
907-465-5216
sally.wanstall@alaska.gov

Public Comments:

Written comments on the proposed authorization to discharge under an APDES general permit must be submitted within 30 days of the issuance of this public notice. Please direct written comments to the attention of Sally Wanstall at the address or email identified above. All comments should include the name, address, and telephone number of the commenter and a concise statement of comment on the permit condition(s) and the relevant facts upon which the comment is based. Comments of either support or concern which are directed at specific, cited permit requirements are appreciated. Mailed comments must be postmarked on or before the expiration date of the public notice.

**DEADLINE FOR WRITTEN COMMENTS:
July 14, 2016 at 5:00 p.m. ADT**

Administrative Record:

The APDES general permit, fact sheet, proposed authorization, and associated documents are available for public review at the ADEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street
Anchorage, AK 99501
907-269-6285

610 University Avenue
Fairbanks, AK 99709
907-451-2100

410 Willoughby Ave #303
Juneau, AK 99811
907-465-5300

43335 Kalifornsky Beach Road
Soldotna, AK 99615
907-262-5210

1700 E Bogard Road #B
Suite #103
Wasilla, AK 99654
907-376-1850

The documents are also accessible from the ADEC website at:
<http://www.dec.state.ak.us/water/wwdp/index.htm>

AKG572100

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this public process, please contact Natalie Wolfe at (907) 269-0291 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 30 days of publication of this notice to ensure that any necessary accommodations can be provided.