



# PUBLIC NOTICE

Alaska Department of Environmental Conservation (ADEC)  
Wastewater Discharge Authorization Program  
555 Cordova Street  
Anchorage, Alaska 99501

NOTICE OF PROPOSED ISSUANCE OF AN  
ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES)  
AUTHORIZATION UNDER A GENERAL PERMIT TO DISCHARGE TO  
WATERS OF THE UNITED STATES

**ADEC Contact:**

Michael Martz  
Alaska Department of Environmental Conservation  
Wastewater Discharge Authorization Program  
555 Cordova Street  
Anchorage, AK 99501  
907-269-8198  
michael.martz@alaska.gov

**Draft Authorization to Discharge Under a General Permit – Public Notice Period:**

Notice Start Date: November 4, 2016  
Notice Expiration Date: December 5, 2016

**Permit No.:** AKG573040

**Proposed Project and Location:**

The City of Shageluk owns and operates a two-cell lagoon that discharges domestic wastewater at a rate of 360,000 gallons per day to the Innoko River near the City of Shageluk at 62° 39' 27.5" N and longitude 159° 32' 07" W. Discharge of domestic wastewater will occur seasonally August through September.

DEC is proposing to authorize a mixing zone for fecal coliform bacteria. The mixing zone size is defined as the area within the rectangle 26 meters length by 7.5 meters wide, downstream of the outfall.

The General Permit, Fact Sheet, and proposed authorization are available upon request or can be accessed at the ADEC web site: <http://www.dec.state.ak.us/water/wwdp/index.htm>

**Tentative Determination:**

The ADEC has tentatively determined to issue an authorization to discharge under a general permit to the above listed applicant.

For inquiries or to request copies of documents, contact:

**ADEC Contact: Mike Martz**

907-269-8198

[Michael.martz@alaska.gov](mailto:Michael.martz@alaska.gov)

## **Public Comments:**

Written comments on the proposed authorization to discharge under an APDES general permit must be submitted within 30 days of the issuance of this public notice. Please direct written comments to the attention of Mike Martz at the address or email identified above. All comments should include the name, address, and telephone number of the commenter and a concise statement of comment on the permit condition(s) and the relevant facts upon which the comment is based. Comments of either support or concern which are directed at specific, cited permit requirements are appreciated. Mailed comments must be postmarked on or before the expiration date of the public notice.

**DEADLINE FOR WRITTEN COMMENTS:  
November 4, 2016 at 5:00 p.m. December 5, 2016**

## **Administrative Record:**

The APDES general permit, fact sheet, proposed authorization, and associated documents are available for public review at the ADEC offices located in Anchorage, Fairbanks, Juneau, Soldotna, and Wasilla. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street  
**Anchorage**, AK 99501  
907-269-6285

610 University Avenue  
**Fairbanks**, AK 99709  
907-451-2100

410 Willoughby Ave #303  
**Juneau**, AK 99811  
907-465-5300

43335 Kalifornsky Beach Road  
**Soldotna**, AK 99615  
907-262-5210

1700 E Bogard Road #B  
Suite #103  
**Wasilla**, AK 99654  
907-376-1850

If you would like to see any additional supporting technical documents, contact Mike Martz.

The documents are also accessible from the ADEC website at:  
<http://www.dec.state.ak.us/water/wwdp/index.htm>

## **Disability Reasonable Accommodation Notice**

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this public process, please contact Natalie Wolfe at (907) 269-0291 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 30 days of publication of this notice to ensure that any necessary accommodations can be provided.