



PUBLIC NOTICE

Alaska Department of Environmental Conservation (DEC)
Wastewater Discharge Authorization Program
555 Cordova Street
Anchorage, Alaska 99501

NOTICE OF PROPOSED ISSUANCE OF AN ALASKA POLLUTANT DISCHARGE ELIMINATION SYSTEM (APDES) INDIVIDUAL PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

A Fact Sheet and associated documents are available for review. For inquiries or to request copies of documents, contact:

DEC Contact:

William Ashton
Alaska Department of Environmental Conservation
555 Cordova Street
Anchorage, AK 99501
(907) 269-6283
william.ashton@alaska.gov

Draft Permit Public Notice Period

Public Notice Start Date: **November 19, 2015**
Public Notice Expiration Date: **December 21, 2015**

Permit Number:

AK0053732

Applicant:

Aurora Energy Services, LLC
Seward Coal Loading Facility

Facility Address:

903 Port Avenue
Seward, AK 99664

Mailing Address:

P.O. Box 1789
Seward, AK 99664

Proposed Project and Location:

The Seward Coal Loading Facility (Facility) is operated by Aurora Energy Services. The Facility unloads coal from railcars, conveys the coal to storage, reclaims the coal from storage, and loads the coal into bulk carrier ships for open ocean transport and delivery to market. Incidental coal is

discharged during normal operations from the south end of belt conveyor (BC) system BC-14 and the shiploader system located at the terminus of BC-14, which transfers the coal over Resurrection Bay to the bulk carrier ships. The Facility is located in the City of Seward, Alaska at the head of Resurrection Bay. The permit proposes authorizing a 21-acre project area zone of deposit on the seafloor surrounding the south end of the BC-14 and the shiploader system for residues (i.e., coal). Because of these changes, DEC is initiating a second public comment period for the draft permit. The first comment period was from July 2, 2015 through August 17, 2015.

Note, should an individual or entity like for their comments to be responded to in DEC's response to comment document generated after the public comment period closes, written comments must be submitted during this public comment period. Comments from the previous public notice period will not be responded to in the response to comment document. However, comments received during the first public notice were reviewed and used, where determined appropriate by DEC, to make updates to the draft permit and fact sheet.

Tentative Determination:

DEC has tentatively determined to issue a discharge permit to the above listed applicant.

Public Comments:

Mailed comments and requests must be postmarked on or before the expiration date of the public notice. The deadline for written comments is December 21, 2015 at 5:00 p.m. AST.

Administrative Record:

The APDES draft permit, fact sheet, permit application, and associated documents are available for public review at the DEC offices located in Anchorage, Fairbanks, Juneau, and Soldotna. Please contact the office of your choice to arrange for hard copies of the documents to be available for your review.

555 Cordova Street
Anchorage, AK 99501
907-269-6285

610 University Avenue
Fairbanks, AK 99709
907-451-2100

410 Willoughby Ave #303
Juneau, AK 99811
907-465-5300

43335 Kalifornsky Beach Road
Soldotna, AK 99615
907-262-5210
907-376-1850

If you would like further information or to see any additional supporting technical documents, contact William Ashton.

The documents are also accessible from the DEC website at:
<http://dec.alaska.gov/water/wwdp/index.htm>.

To receive email notifications about the APDES Program, including when permits are available

to review, follow the link below to join the APDES email list.
http://dec.alaska.gov/water/npdes/npdes_email_list.htm

Disability Reasonable Accommodation Notice

The State of Alaska, Department of Environmental Conservation complies with Title II of the Americans with Disabilities Act of 1990. If you are a person with a disability who may need a special accommodation in order to participate in this public process, please contact Natalie Wolfe at (907) 269-0291 or TDD Relay Service 1-800-770-8973/TTY or dial 711 within 30 days of publication of this notice to ensure that any necessary accommodations can be provided.